



KRISHI VIGYAN KENDRA, REASI

SMALL-SCALE POULTRY FARMING

DR MANDEEP SINGH AZAD

UNIT-IV

Contents

01

Poultry Livelihood

Why small-scale poultry farming is a viable business

02

Housing Setup

Setting up your poultry house and the environment

03

Growth & Nutrition

Broiler growth stages and specific nutritional needs

04

Feeding Formulas

Managing starter and finisher feed mix schedules

05

Vaccine Protocols

Understanding schedules and safety best practices

06

Farm Management

Daily routines, health monitoring, and profit tips



Small-Scale Poultry Farming Opportunities

The Opportunity


Poultry farming offers a fast, reliable income source with low entry barriers, high market demand, rapid bird turnover, and excellent scalability for local farmers.

The Challenge

New farmers face significant risks including high initial mortality rates, volatile feed costs, disease outbreaks, and a lack of technical management expertise.

The Solution

Professional agricultural training provides essential technical value, risk mitigation strategies, and best practices to ensure long-term profitability and success.



Essential Poultry Farming Equipment Guide



Feeders

Supplying consistent nutrition through specialized containers designed to minimize grain waste. Proper feeder placement ensures all birds have equal access to their daily feed.



Ventilation fans

Regulating air quality by removing ammonia, moisture, and excess heat from the poultry house. Proper airflow prevents respiratory diseases and maintains a comfortable climate.



Drinkers

Providing continuous access to clean and fresh water via nipple or bell systems. Hydration is vital for bird health, growth, and high-quality egg production in any farm.



Egg trays

Collecting and storing eggs safely to prevent breakage and maintain hygiene before transport. Sturdy trays allow for efficient counting and organized handling of daily yields.



Heating lamps

Maintaining optimal temperatures for young chicks using infrared or ceramic heat sources. Consistent warmth is critical for survival and rapid development during early stages.



Cleaning tools

Utilizing scrapers and brushes to maintain a sanitary environment and prevent disease outbreaks. Regular disinfection of the facility is the foundation of successful farming.



Poultry Housing Key Requirements

Site Location

01

Select a well-drained area with good accessibility, ensuring the site is isolated from external pathogens and other poultry farms.

Space & Density

02

Ensure adequate floor space per bird to prevent overcrowding, which reduces stress and minimizes the risk of disease transmission.

Proper Ventilation

03

Maintain continuous fresh air flow to remove ammonia and moisture, which is vital for respiratory health and bird productivity.

Litter Quality

04

Use dry, absorbent bedding materials to manage moisture levels, protecting birds from foot pad lesions and harmful bacterial growth.

Temperature Control

05

Implement reliable heating and cooling systems to maintain a stable thermal environment suited to the specific age of the flock.

Biosecurity Rules

06

Establish strict entry protocols and sanitation routines, as a clean house is the foundation for maintaining healthy, thriving birds.



Broiler Starter Feed Formula

Ingredient	Quantity (kg)	Composition %	Source	Function
Broken Wheat	47	47.00%	Grain	Energy
Rice Bran	20	20.00%	Byproduct	Fiber
Sesame Cake	13	13.00%	Oilseed	Protein
Kipper Fish Powder	18	18.00%	Marine	Amino Acid
Bone Powder	1.25	1.25%	Mineral	Calcium
Salt	0.5	0.50%	Mineral	Sodium
Premix	0.25	0.25%	Additive	Vitamins
Total	100	100.00%	Final	Complete

- ❑ The Broiler Starter Feed is formulated to provide optimal nutrition for rapid growth during the early stages.
- ❑ Professional balanced feeding practices ensure a 100% survival rate and robust skeletal development in chicks.





Broiler Finisher Formulation



Broiler Finisher Feed Recipe

Optimized nutrient formulation designed for maximum weight gain and efficient growth during the final broiler production stage.



Nutritional Transition Guide

Shift from starter to finisher involves higher energy density, increased grain ratios, and adjusted mineral levels for bone health.

Feed Ingredient	Qty (kg)	Feed Ingredient	Qty (kg)	Ingredient	Qty (kg)
Broken Wheat	52.00	Rice Bran	18.00	Sesame Cake	12.00
Kipper Fish	15.00	Bone Powder	1.00	Oyster Shell	1.25
Common Salt	0.50	Feed Premix	0.25	Total Weight	100.00



Common Poultry Disease Identification Guide

Newcastle Disease

01

A highly contagious viral infection causing respiratory distress and nervous system disorders, requiring immediate quarantine measures.

Gumboro Disease

02

Also known as Infectious Bursal Disease, it targets the immune system of young chicks, leading to high mortality rates.

Infectious Bronchitis

03

A viral respiratory tract infection characterized by gasping and coughing, significantly reducing egg quality and production.

Salmonella

04

Common bacterial infection causing diarrhea and lethargy, posing a significant risk to both flock health and food safety.

E. coli Infection

05

A widespread bacterial condition resulting in colibacillosis, affecting multiple organs and often following primary viral stress.

Chronic Respiratory

06

Caused by Mycoplasma, this persistent bacterial disease leads to nasal discharge and swelling of the face in poultry flocks.



Broiler Production Growth Cycle



Day 1-7: Chick Stage

Focus on brooding temperature and early nutrition to ensure strong immunity and initial weight gain.



Day 8-21: Grower Stage

Managing rapid skeletal development and muscle growth through optimized feed intake and ventilation.



Day 22-35: Finisher Stage

Maximizing feed conversion ratios and meat deposition while maintaining strict health and litter quality.



Day 36-42: Market Stage


Final weight monitoring and withdrawal period management to ensure birds are ready for processing.






Professional Poultry Vaccination Schedule

Follow the exact sequence of vaccinations and critical reminders for flock health.





10 Vaccination Safety Rules

Before You Start



Follow rules 1-3: Verify vaccine expiration, ensure all equipment is sterilized, and check livestock health status. Preparation is essential for a safe and effective immunization process on the farm.



Mixing & Storage



Follow rules 4-7: Keep vaccines in a cold chain, mix according to strict ratios, avoid sunlight exposure, and use within the recommended timeframe. Proper handling preserves the biological potency.



During & After



Follow rules 8-10: Use correct injection techniques, dispose of needles safely in sharps containers, and monitor for adverse reactions. Recording every batch ensures long-term traceability and safety.



Daily Bird Health Monitoring



Activity Levels

Monitor how birds move and interact daily. Healthy birds are alert, vocal, and active, showing natural curiosity and social behaviors within the flock.



Breathing Patterns

Observe for clear, quiet respiration without gasping. Labored breathing or unusual discharge from the nostrils requires immediate isolation and closer professional inspection.



Feeding Habits

Check daily for consistent water and feed intake. A sudden drop in consumption is often the first visible indicator of underlying health issues or stress.



Waste Assessment

Inspect droppings for normal consistency and color. Changes in waste appearance can signal digestive problems or potential infections that need rapid management.



Daily Farm Management Schedule

Morning Routine

Perform a thorough morning inspection and conduct the first feeding and watering session of the day.



06

Afternoon Feeding

Execute the scheduled 4:00 PM afternoon feeding to ensure optimal growth and consistent farm nutrition.



16

Weekly Logistics

Maintain strict inventory control, monitor health trends, and clean equipment to ensure farm profitability.



Wk

10

Facility Checks

Conduct a vital ventilation check at 10:00 AM followed by a midday observation of the entire flock.



20

Evening Security

Complete the evening inspection at 6:00 PM and secure the house by 8:00 PM for a safe overnight period.



\$\$

Profit Strategy

Implementing a consistent daily routine is the key factor that separates successful farms from others.



Profitability and Cost Management Factors

Feed Cost Control

Optimizing feed usage accounts for 40-50% of total costs, representing the most critical area for farm budget management.

Market Timing

Executing sales strategies at optimal weights between 1.8-2.2kg to maximize price per kilogram and overall farm revenue.



Mortality Targets

Implementing strict health protocols to keep mortality rates below 5%, ensuring bird health and protecting your investment.

Profit Tracking

Maintaining diligent records to monitor financial performance and identify key profitability factors for long-term success.



Poultry Operations Support Resources



Government Extension

Accessing expert guidance through official channels to ensure regulatory compliance and operational success.



Veterinary Support

Connecting with a professional network for livestock health monitoring and emergency medical assistance.



Farmer Cooperatives


Joining local producer groups to share resources, improve market reach, and reduce individual costs.



Online Training


Utilizing digital platforms for modern poultry management education and technical skill development.





Your Action Plan - Start This Week

5-Step Poultry Action Plan



6 Critical Poultry Farming Numbers



47% Wheat Content

Ensure wheat makes up nearly half of the starter feed for optimal digestion. This ratio is vital for the early nutritional development of young chicks.



1.8-2.2 kg Weight

Aim for this specific weight range to meet the standard market requirements. Consistently hitting this target ensures maximum profitability for the farmer.



18% Fish Powder

Include high-quality fish powder to provide essential proteins for growth. This concentration supports muscle and skeletal health in the starting phase.



5% Mortality Rate

Maintain a maximum death rate below five percent through strict biosecurity. Keeping losses low is a hallmark of a professional and successful farm operation.



Day 6-7 Vaccine

Administer the primary vaccination during the first week of life for immunity. Timely vaccination is the most effective defense against common poultry diseases.



6-8 Weeks Age

Reach full market maturity within this timeframe to optimize the feed ratio. Efficiency in time management reduces overhead costs and increases turnover.



Top 7 Critical Farm Mistakes

Skip Vaccination

01

Ignoring immunization schedules leads to massive disease outbreaks and is a primary driver of high flock mortality rates.

Tap Water Use

02

Chlorine in tap water neutralizes live vaccines. → Result: Zero protection for birds despite the effort of administration.

Vaccinating Sick

03

Administering vaccines to already weakened birds causes extreme stress. → Result: Rapid health decline and high death loss.

Starter Feed

04

Feeding starter crumbles beyond the recommended phase causes obesity. → Result: Poor egg production and skeletal issues.

Overcrowding

05

High density reduces air quality and increases competition. → Result: Cannibalism and the rapid spread of fatal pathogens.

Wet Litter

06

Neglecting damp bedding allows ammonia to build up. → Result: Severe respiratory infections and painful breast blisters.





THANK YOU

You Now Have the Knowledge - Start Your First Batch with Confidence! Good luck with healthy birds and healthy profits!